



PATENT, TRADEMARK, COPYRIGHT,  
UNFAIR COMPETITION, TRADE-SECRET,  
COMPUTER & HIGH-TECHNOLOGY LAW

LAW OFFICES OF  
ASHEN & LIPPMAN  
4385 OCEAN VIEW BOULEVARD  
MONTROSE, CALIFORNIA 91020

TELEPHONE 818/249-5961  
FACSIMILE 818/249-8384  
EMAIL P@A-L.COM

0300

June 15, 2001

Commissioner of Patents  
and Trademarks  
Washington DC 20231

RE: U. S. utility-patent application 09/778,940  
filed February 5, 2001  
of Diane Troyer  
for: "APPARATUS WITH LIQUID-CRYSTAL LIGHT VALVES  
AND SCANNING READING BEAM"  
our docket xMTI-08

Dear Sir:


Responsive to your notice to file corrected application  
papers, enclosed for filing please find the following:


- formal drawings (19 sheets)
- Notice to File Corrected Application
- acknowledgement card for date-stamping and return.

In the event that any fee, other than an issue fee, should  
become due, or any refund accrue, at any time during the  
prosecution of this application, you are hereby authorized  
to proceed, without specific authorization, to charge such fee  
or credit such refund to our deposit account 12-1639.  
A duplicate copy of this letter is enclosed.

I HEREBY CERTIFY that this correspondence is being  
deposited as first-class mail in an envelope addressed  
to the Commissioner of Patents and Trademarks, Washing-  
ton DC 20231, on JUNE 15, 2001.

Respectfully submitted,

  
Peter I. Lippman  
Reg. No. 22,835



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/778,940	02/05/2001	Diane Troyer	xMTI-08

CONFIRMATION NO. 4485

## FORMALITIES LETTER



\*OC000000005980020\*

PETER I. LIPPMAN  
Ashen & Lippman  
4385 Ocean View Boulevard  
Montrose, CA 91020

Date Mailed: 04/18/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

---

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE